

Night Vision Wireless IP Camera



Wireless IP Camera with instant video streaming across the Internet, so you can view and record live footage from anywhere in the world. Also includes video recording, night vision, and motion detect alarm.

Highly user-friendly and easy to use, this Wireless IP Camera is lightweight, durable, easy to install and can be instantly accessed from anywhere around the world. The camera has both wired and wireless LAN connectivity, meaning it can connect to your router either via Ethernet cable or over WiFi, making positioning very flexible. To access the camera is then simply a case of entering the camera's IP address (found using the included software) into a web browser. From there you can screen capture or record live video.

Another impressive feature of the camera is that it can be configured to automatically send you an alert email as soon as it detects motion in its field of view. Should you choose to, you can then log into the camera and view what is happening remotely and in real time, even from the other side of the world. Also includes 22 infrared LED lights for excellent night vision.

At a Glance...

- Wireless IP Camera - Connect through WiFi or LAN cable
- Access camera output from anywhere on the Web
- 22 IR LEDs for Nightvision
- Motion detection and Email alert functionality
- Lightweight and easy to setup
- NEW: Now with iPhone login support - View a live feed right from your phone!

Manufacturer Specifications

General

- Resolution: 380 TVL, VGA (640x480), QVGA (320x240)
- FPS: VGA (30 fps interpolated to 100 fps), QVGA (15 fps)
- Video Compression: AVI (Motion JPEG)
- Picture Compression: JPEG
- White Balance: Auto
- Power Source: Power Adapter

Lens

- Image Sensor: 1/4 Inch Color CMOS Sensor
- Lens: f: 6mm

Night Vision

- Infrared Light: 22 IR LEDs, Night Visibility up to 25 Meters
- Min LUX: 0

Connectivity

- WiFi: IEEE 802.11b/g
- Ethernet: RJ-45 Interface 10/100Mbps
- Supported Protocol: TCP/IP/DHCP/SNMP/TP/DDNS/OPNP
- Wireless Security: None, WEP, WPA-TKIP, WPA-AES, WPA2-AES, WPA2-TKIP + AES
- Mobile Phone Browser: iOS

Ports

- LAN Port
- Alarm In
- DC IN

Minimum System Requirements:

- Supported OS: Windows 2000/2003/XP/Vista/Windows 7

Dimensions

- Main product dimensions: 125x80x80mm (L x W x D)
- Main product weight: 512g

Product Notes

- Nighttime viewing angle may change according to the lightning and environments

Package Contents

- IP Camera
- Mounting Screws
- Ethernet Cable
- Power Adapter
- Software CD